


# 2052 Stockton Drive C-2004-19



Mag 15.00  
Wed Sep 01 14:28 2004  
Scale 1:10,938 (at center)  
1000 Feet  
200 Meters

- |                           |                   |
|---------------------------|-------------------|
| Local Road                | Population Center |
| Major Connector           | River/Canal       |
| State Route               | City Park         |
| Interstate/Limited Access |                   |
| Railroad                  |                   |
| Point of Interest         |                   |
| Park/Reservation          |                   |
| Locale                    |                   |



## APPLICATION FOR PERMIT

**CITY OF MOBILE**  
**OFFICE OF TREE COMMISSION**

Application No. C-2004-19

Date: 8/17/04

**1. Applicant:**

Name: City of Mobile

Address: 205 Government Street

Mobile, AL 36644

Telephone Number: 251/208-7091

**2. Owner (if different from applicant):**

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

3. Location of Tree: 2052 Stockton Drive City Council District: 3

4. Type of Tree: Water Oak Trim: \_\_\_\_\_ Remove: X

5. Approximate Diameter four (4) feet from the ground: 30" Height: 70'

6. Reason for Removal or Trimming as Requested: Die back and decay in tree.

David Daughenbaugh  
Applicant David Daughenbaugh  
Urban Forestry Coordinator  
Owner – if different from applicant

Application Fee - None

Applicant must be present at meeting to represent request.

All supporting information must be submitted with the application by filing date.

Appeals must be made in writing to the City Clerk's office within 15 days of the meeting.

Major projects involving multiple trees may be held over to the following month's agenda due to the time required by staff to investigate.

P. O. Box 1827 – Mobile, Alabama 36633-1827

Telephone: 251/208-7091

Fax: 251/208-7896

e-mail: [forestry@cityofmobile.org](mailto:forestry@cityofmobile.org)

**Date: October 19, 2004**

**Application No.: C-2004-19**



**LOCATION: 2052 Stockton Drive**

**TREE HEALTH: Water Oak Tree in decline with decaying cavities. The trunk has slim flux oozing from the trunk of the tree.**

**SITUATION: Due to the decline of the tree, the tree should be removed.**

**STAFF RECOMMENDATION: Staff recommends removal of the tree.**



**Date: September 21, 2004    Application No.: C-2004-19**



**LOCATION: 2052 Stockton Drive**

**TREE HEALTH: Water Oak Tree in decline with decaying cavities. The trunk has slim flux oozing from the trunk of the tree.**

**SITUATION: Due to the decline of the tree, the tree should be removed.**

**STAFF RECOMMENDATION: Staff recommends removal of the tree.**