


2056 Stockton Drive C-2004-21



Mag 15.00
Wed Sep 01 14:30 2004
Scale 1:10,938 (at center)

1000 Feet
200 Meters

- Local Road
- Major Connector
- State Route
- Interstate/Limited Access
- Railroad
- Point of Interest
- Park/Reservation
- Locale
- Population Center
- River/Canal
- City Park



APPLICATION FOR PERMIT

CITY OF MOBILE
OFFICE OF TREE COMMISSION

Application No. C-2004-21

Date: 8/17/04

1. Applicant:

Name: City of Mobile

Address: 205 Government Street

Mobile, AL 36644

Telephone Number: 251/208-7091

2. Owner (if different from applicant):

Name: _____

Address: _____

Telephone Number: _____

3. Location of Tree: 2056 Stockton Drive


City Council District: 3

4. Type of Tree: Water Oak

Trim: _____ Remove: X

5. Approximate Diameter four (4) feet from the ground: 30" Height: 70'

6. Reason for Removal or Trimming as Requested: Die back and decay in tree.


Applicant David Daughenbaugh
Urban Forestry Coordinator
Owner – if different from applicant

Application Fee - None

Applicant must be present at meeting to represent request.

All supporting information must be submitted with the application by filing date.

Appeals must be made in writing to the City Clerk's office within 15 days of the meeting.

Major projects involving multiple trees may be held over to the following month's agenda due to the time required by staff to investigate.

P. O. Box 1827 – Mobile, Alabama 36633-1827

Telephone: 251/208-7091

Fax: 251/208-7896

e-mail: forestry@cityofmobile.org

Date: October 19, 2004

Application No.: C-2004-21



LOCATION: 2056 Stockton Drive

TREE HEALTH: Water Oak Tree in decline with decaying cavities. The trunk has slim flux oozing from the trunk of the tree.

SITUATION: Due to the decline of the tree, the tree should be removed.

STAFF RECOMMENDATION: Staff recommends removal of the tree.