


(A) THIS DIMENSION MAY BE ADJUSTED IN THE FIELD TO REFLECT THE EXISTING SLOPE AND TOPOGRAPHY IN THE RIGHT OF WAY.

**PROFILE VIEW OF CONCRETE DRIVEWAY**

NOT TO SCALE

MINIMUM*	TYPE
R 20'	COMMERCIAL
R 4'	RESIDENTIAL
W 24'	COMMERCIAL
W 12'	RESIDENTIAL

\* IF SITE CONDITIONS PROHIBIT THE USE OF THESE STANDARDS, AN ALTERNATIVE MAY BE SUBMITTED FOR APPROVAL TO THE ENGINEERING DEPT.



**PLAN VIEW  
CONCRETE APRON  
OVER PIPE IN DRAINAGE DITCH**

NOT TO SCALE

NOTE: THIS STANDARD APPLIES TO BOTH RESIDENTIAL AND COMMERCIAL DRIVEWAYS. PIPE ONLY REQUIRED WHERE DRIVE CROSSES OPEN DITCH



**CITY OF MOBILE, ALABAMA  
ENGINEERING DEPARTMENT  
CONCRETE DRIVEWAY DETAILS  
FOR ASPHALT ROADWAY W/O  
CURB & GUTTER & SIDEWALK**